


MV800 Ethernet/IP

R33011273

V00

1

1.1



1.2

MV810-EIP01

MV800

1.2.1

- 1 PZD
- 2 PKW
- 3 100Mbps
- 4

1.2.2

EIP		RJ45
		CAT5
		500VDC
		EIP
		100BASE-TX (IEEE802.3)
		100M
		100Mbps Auto-Defect
		MV810-EIP01
	EDS	MEGMEET_MV800_EthernetIP_V1.01.EDS
		3.3VDC
		500VDC
		1W
		25g
		ESD(IEC 61800-5-1, IEC 6100-4-2) EFT(IEC 61800-5-1, IEC 6100-4-4) Surge Test(IEC 61800-5-1, IEC 6100-4-5) Conducted Susceptibility Test(IEC61800-5-1, IEC6100-4-6)
	/	-10 50 90%

		-45 70 95%
	/	GB4798.3-2007 GB12668.501— 2013/IEC61800-5-1 IEC60068-2-6

1.3

1.3.1

MV810-EIP01

1

1
RJ45

1.3.2

EIP

RJ45

2

RJ45

2

MV810-EIP01

1	TX+	Transmit Data+(+)
2	TX-	Transmit Data-(-)
3	RX+	Receive Data+(+)
4	N/C	
5	N/C	
6	RX-	Receive Data-(-)
7	N/C	
8	N/C	



2

1.3.3

EIP

MV810-EIP01

MV800

MV800


	/	
P02.02	2	
P02.03	3	Ethernet/IP
P02.05	8	Ethernet/IP
IP	(IP)	
	/	
P40.02	0 255	IP 1

2.2.2 EIP

MV810

EIP

4



2.2.3 EIP

EIP

1

5-a

2

5-b

3

EIP


2


5-c

5-d

4

5-e





7 B 1 A PE 2

7

					$\pm 10\%$
MV810-EIP01	M2.0	0.5 28	1.5mm ² / 16AWG	5 6mm	2kg-cm / (1.7lb. in) / (0.2N*m)

2

		$\pm 10\%$
B	M3	7kg-cm / (6.08lb. in) / (0.68Nm)
C	M4	15kg-cm / (13.01lb. in) / (1.47Nm)
D		

3 EIP

PLC

EIP

PKW/PZD

PKW0	Byte0	Byte0 Byte1
	Byte1	Byte0 Byte1
PKW1	Byte2	0x03 0x06 0x07 Byte2
	Byte3	Byte2 0 Byte3 0x03 0x06 0x07 0x80+
PKW2	Byte4	

		Byte4		Byte5	
	Byte5	Byte4		Byte5	
			PKW3		
	Byte6	1			
		Byte6		Byte7	
PKW3		Byte6			0
	Byte7	Byte7			0
		Bit0	0	1	
		Bit1	0	1	
	Byte8	Bit2	0	1	
		Bit3	0	1	
		Bit4	0	1	
		Bit5	0	1	
		Bit6	0	1	
		Bit7	0	1	
		Byte8			
		Byte9			
PZD1		Bit0	0	1	
		Bit1	0	1	
		Bit2	0	1	
		Bit3	0	1	
		Bit4	0	1	
		Bit5	0	1	
		Bit6	0	1	1
		Bit7	0	1	2
		Bit8	0	1	
	Bit9	Bit10		1	

4

4.1 LED

MV810-EIP01 LED 1 PCBA LED LED MV810-EIP01
PCBA LED LED

PCBA LED :

LED4		
		EIP

LED :

LED		

5

518057
<https://www.megmeet.com/>
(0755) 8660 0500
(0755) 8660 0562
driveservice@megmeet.com