

Smile100

V1.0

2025/**/**

BCM

5

518057

www.negreet-dri.vetech.com

(0755) 8660 0500

<https://www.negreet.com>

400-666-2163

Smile100

Smile100

 危險	
 警告	
	


Smil e100	1
	2
	1
1.1	1
1.1.1	1
1.1.2	1
1.2	1
1.3	2
1.4	3
1.5	3
1.6	4
	5
2.1	5
2.2	5
2.2.1	5
2.2.2	6
2.2.3	6
2.2.4	6
2.2.5	7
2.3	7
2.3.1	7
2.3.2	7
2.3.3	8
	9
3.1	9
3.2	10
	11
4.1	11
4.2	11
4.3	12
4.4	13
	14
5.1	14
5.2	15
5.2.1	16
5.2.2	16
5.2.3	17
5.2.4	17
	18
6.1	18
6.2	18
6.2	19
A	33

1.1

1.1.1



1.1.2



1.2

	kVA	A		A	W
	220V	220	240V	50/60Hz	
Smile100-2S0.2	0.4	2.2		1.2	200
Smile100-2S0.4	0.8	4.5		2.3	400

1.3

200 240V ± 10%
50/60Hz ± 5%
0
0 99.99Hz

SVC VC
1 100 SVC 1 1000 VC
± 0.5% SVC ± 0.05% VC
0.5Hz 180% SVC 0Hz 180% VC

0.01Hz 0.01A
150% 1 180% 1

ABZ

1.6

.....

..... -10 +40
..... 2 9Hz 3.5m/s² 9 200Hz 10m/s² I ED60721-3-3
..... 95%RH
..... IP20 2



◇		40		1	2%
◇	50				
◇		-10	40		

2 1




危險



2-1

2.2.2

90° 2-2




2-2

2.2.3



警告



3*1mm²

2.2.4

3*1mm²

2.2.5

50

2.3

2.3.1



警告




Sri le100

		/	/		
	R1A/R1B/R1C			RA- RB	
	R2A/R2B/R2C			250VAC/5A DC30V//5A	
	R3A/R3B/R3C			2.5kVAC	
	RS485+	485		RJ 45	
	RS485-	485			
	CANH	CAN		CAN	
	CANL	CAN			
		APP		APP	
	COM				
	PGZ	Z			
	PGB	B			
	PGA	A			
	24V	24V		24V	
	P24V	24V		24V	
	COM	24V			200mA

2.3.3

					220V
				380V	
					10A
					D

3.1



3-1

3-1

FWD			
REV			
ALARM			
QUI CK		QUI K BASI C	
BASI C			
Hz			
A			
V			
m/s			
r/min			


3-2

0		M
1	JOG	M JOG
2	FWD/REV	M FWD/REV
3	1	M M M M
4	2	M
5		M M 5 M O
6		M VF
7		M

3.2


3-1

-
-
-



4-1

4.1



4-2

0.3m

50m

20 30mm

4.2

-
-
-

4. 3

D01. 00



4-3

P01. 00		1 750W	
P01. 01		1 300V	
P01. 02		0. 1 2. 5A	
P01. 03		1. 00Hz 99. 99Hz	
P01. 04		1 6000r pm	
P01. 05		1. 00 9. 99	
P01. 06		0 1	P01. 06=1
P02. 00		0 9999	



◇

◇ Smi I e100 U V W


◇ Smi I e100

◇ STOP

◇

4. 4

1 P00.02 1 P00.03 0
 2 P02.05 1 RUN P02.05 0
 STOP



4-4

1
 2 SmIle100 U/V/W
 3 P02.01 E26 P05.14

5. 1

Sri l e100

1 STOP
 2 DI 9
 3

P09

5-1

E01		• • •	• • • P03. 05 P04. 05
E02		• • • • •	• Sri l e100 • P01. 00 P01. 04 • • • P03. 02 P04. 02 • P03. 05 P04. 05
E03		• • • • •	• Sri l e100 • P01. 00 P01. 04 • • • P03. 02 P04. 02 • P03. 05 P04. 05
E04	Z		Z •
E06		• • • Z	• P01. 00 P01. 04 • •
E07		• •	• •
E08		• P06. 28 =1	• •

E09		• •	• • •
E10		• 10	• • •
E11		•	•
E12		•	• 20 • •
E14	EEPROM	EEPROM	
E15		• P10.16 P10.15	• P10.15 P10.16 • •
E16		• P10.18 P10.17	• P10.17 P10.18 • •
E17		• • •	• • •
E18		•	•
E22	EEPROM	• EEPROM	• •
E23		• • •	• • • P02.00
E26		• • •	• • • P05.14 P02.04
E100		• • •	• / • •

5.2

- 1
- 2



危險

- ◇
- ◇

5.2.3

6.1

" "

" × "

" *"

6.2

Smi I e100

0



1

Smi I e100

P00.03 = 1 Smi I e100

CD P06.15 0			CD P06.15 1		
CD	CD		CD	CD	
0	0		0	0	
0	1		0	1	
1	0		1	0	
1	1		1	1	

2

P00.03 = 0



P08

STOP



3


P00.04		1.00 99.99Hz	50.00Hz	×
Smi I e100				
P00.05		0 1	0	×
0				
1 S				
P00.06		0 3	2	×
0				
1				
2				
3				
P01				
P01.00		1 750W	50W	×
P01.01		1 300V	220V	×
P01.02		0.10 2.5A	1.1A	×
P01.03		1.00Hz 99.99Hz	24.00Hz	×
P01.04		1 6000rpm	900rpm	×
P01.05		1.00 9.99	1.00	×
P01.05 1.00				
P00.06=1				
P01.06		0 1	0	×

0								
1								
P00.03	0			P01.00	P01.04			
P01.06	1	"		"				P01.06
0								
		"	4.3	"				
P01.07				0.01	2.50A		0.36A	×
		P00.06	0			1		
P01.08				0.0	359.9		0	×
		P00.06	2					
P01.09				0.00	99.99		15.62	×
P01.10				0.00	99.99		37.88	×
P01.11				0	9999mH		11.21mH	×
P01.12	1			0	9999mH		11.21mH	×
P01.13				0	9999mH		1018mH	×
P01.14				50.0%	200.0%		100.0%	×
P02								
P02.00				0	9999		1024	×
P02.01				0	1		0	×
0								

Srile100

P02.07		0 9999	0	×
=P02.07x10000+P02.06		P02.06	P02.07	
P02.08		0 9999	0	×
DI	4 14	P06.15	1	

P03



P03.00		0 9999	576	
P03.00		ms		
P03.01		0 15.00Hz	3.50Hz	
P03.02		0 1 99.9s	1.3s	
P03.03		0.00	P00.04	20.00Hz
P03.04		50.0% 90.0%	65.00%	
P03.04x		P03.03	P03.06	
P03.04				
P03.05		0 1 99.9s	2.0s	
		P00.04		
P03.06		0 15.00Hz	3.00Hz	
P03.07		80.0 99.9%	90.0%	
		P03.07x		
P03.08		10.0% 90.0%	90.00%	
P03.08				

Sri le100

P05.00		20.0% P07.07	50.00%	
P03.07x P05.00x				
P05.01		30.0% P07.07	45.00%	
P05.00x P05.01x				
P05.02		0.0 P07.07	35.00%	
P05.03		0.1 999.9s	30.0s	
P05.01 P05.03 P05.02				
P05.04		20.0% P07.07	50.00%	
P05.05		30.0% P07.07	45.00%	
P05.06		0.0 P07.07	35.00%	
P05.07		0.1 999.9s	60.0s	
P05.08		0.0% P07.07%	100.00%	
P05.09		0 4999ms	1000ms	×
P05.10		0.0% P07.07%	100.00%	
P05.11		0 4999ms	1000ms	×
P05.12		0.00 P00.04	5	×
P05.13		0.00 P00.04	15	×
P05.08 P05.10 P06.13				
P05.14		30.0 P07.07	70.0%	
P05.15		0.0 P07.07	100.00%	
P05.16		0 4999ms	1600ms	×
P05.15 P05.15 0 P05.16				

P05. 17		0 9999ms	3000ms	×
P05. 17				
P05. 17=9999ms				
P06				
P06. 00	DOA, DCA, DPA	0 1	1	×
0				
1				
P06. 01	DPA	0 19	0	×
0				
1				
P06. 01=1				
2				
3				
4				
5				
6				
7 9				
10				
11				
12				
13				
14				
15				
16				
6/16				
P10. 00		P10. 01		
P10. 00				
P10. 01				
P06. 02		2 300ms	10ms	×
DI		DI		P06. 02
P06. 03	DI 1	0 30	7	×
P06. 04	DI 2		8	×
P06. 05	DI 3		11	×
P06. 06	DI 4		12	×
P06. 07	DI 5		13	×
P06. 08	DI 6		14	×

Sri le100

P06. 09	DI 7		0	×
P06. 10	DI 8		0	×
DI 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 20 21 22 21 22				
P06. 11		0 4999ms	0	×
P06. 11 P00. 02=1 P00. 06=0 P06. 08 1000ms P05 P00. 06=3				
P06. 12		0.1 99.9%	90.00%	
P06. 12 P06. 01=0 PA				
P06. 13		0.1 2.0s	0.5s	
P06. 14 0 1 2				

P06.15	1	00000 11111	0	
0				
1				
0				
1				
0				
1				
0				
1		2s		
0	1/3			
1				
P06.16	2	00000 11111	1	
0				
1				
0				
1				
0	Kp			
1	Kp 4			
0				
1				
0				
1				
20		E0012		
12	20			
P06.18		4 16kHz	8kHz	×
P06.19		2 50 15.00Hz	4.00Hz	
P06.20		0 30s	0	
	2			
	2s			
P06.21		0 30%	10%	×

Srile100

P06.22		0.01 5.00Hz	1.00Hz	
P06.23		0.01 5.00Hz	1.00Hz	
P06.24		100 3999ms	2500ms	×
P06.25		0.10 15.00Hz	7.00Hz	
P06.26		0 8%	0%	×

P06.21
P06.21 + P06.26


P06.27		10.00 50.00Hz	50.00Hz	×
P06.28	3	00000 11111	100	

0				
1				
	1		2.5s	
		CAN		
0		CAN		
1		CAN		
0				
1				
0				
1				
0				
1				
	E10	E10	20	10

P07

P07.00	Kp	10 3000	200	
P07.01	KI	0 1000	20	
P07.02	Kp	10 3000	200	
P07.03	KI	0 1000	20	
P07.04		0.00 P00.04	8.00Hz	

P07.00 P07.04 ASR PI D



P07. 00 P07. 02 KP KP P07. 01 P07. 03 KI KI KI 0 KP KP KI KP KI				
P07. 05	kp	10 9999	100	
P07. 06	KI	0 9999	100	
P07. 05 P07. 06 PI KP KI KP KI KP KI KP KI PI				
P07. 07		0. 0 200. 0%	120. 00%	
Sni l e100		P01. 02		
P07. 08		0 7	2	×
ASR P07. 08=0				
P08				
P08. 00		1. 0s 999. 9s	2. 0s	
P08. 01		1. 0s 999. 9s	2. 0s	
P08. 02		0 65535	0	
P08. 03		0 65535	0	
P08. 02 P08. 02 1. " RUN " / / / / P08. 00 P08. 01 " STOP " P08. 03 P08. 02 P08. 03				
P09				
P09. 00	1	0 26	nan	*
P09. 01	2	0 26	nan	*
P09. 02	3	0 26	nan	*
P09. 03	4	0 26	nan	*
P09. 04	5	0 26	nan	*
0 1 E01 2 E02 3 E03 4 Z E04 5				

Sri le100

6		E06		
7		E07		
8			E08	
9		E09		
10		E10		
11		E11		
12		E12		
13				
14	EEPRCM		E14	
15		E15		
16	E16			
17	E17			
18		E18		
19 21				
22	EEFORCM		E22	
23	E23			
24				
25				
26		E26		
100				
P09.05			0 999V	nanV *
P09.06			0.00 99.99A	nanA *
P09.07			0.00 99.99Hz	nanHz *
P09.08			0.00 99.99Hz	nanHz *
P09.09			0 65535	nan *
P09.10		1	0 11111	nan *
P09.11		2	0 111	nan *
P09.12			0 111	nan *
P09.13			0 9999	nan *
P09.14			0 9999	nan *
P09.15			0 23h	nanh *
P09.16			0 9999	nan *
P09.17			0.00 99.99	nan *
P09.18			0.00 99.99	nan *
P10				
P10.00			0 9999ms	0 x
P10.01			0 9999ms	0 x
P06.01	6 16			
	P10.00		P10.01	
			P10.00	

P10. 01				
P10. 02		0 1 5. 0s	0. 7s	
P10. 03		0 1 5. 0s	0. 7s	
P10. 04		0 9999	0	×
1		P02. 05 2		
2	D	D01. 00		
P10. 05		0 1	0	×
0	P03. 04/P04. 04			
1				
P10. 06		0 1	0	×
0				
1	P10. 06 1		P10. 02 P10. 03	
P10. 07		0 1	0	×
0				
1	1	1. 1		
P10. 08		0 1	0	×
0				
1	1	1. 1		
P10. 09		0 1	1	×
0				
1				
P10. 10		0 2	0	×
0				
1	P10. 11 P10. 13			
2	P10. 11 P10. 13	P10. 11 P10. 13	P10. 11 P10. 13	
P10. 10	2 1			
P10. 11	U	1700 2200	1950	
P10. 12	V	1700 2200	1950	
P10. 13	W	1700 2200	1950	
P10. 14		0. 01 0. 50A	0. 05A	×
P10. 15		5 50%	20. 00%	×
P10. 16		0. 0 2. 0s	0. 0s	×
P10. 17		105 120%	110%	×
P10. 18		0. 0 2. 0s	0. 5s	×
P10. 20	Z	0 1	0	×

Smile100

0	Z			
1	Z			
P10.21		0 1	0	×
0				
1				
P10.22	3	0 11111	0	
0				
1	1			
0				
1	1	200V		
0				
1				
0 M				
1 T				
P10.23	4	0 11110	0	
	UP DN			
0	UP DN 5S			
1	UP DN 5S			
0	0			
1	1			
2	2			
	RT			
0				
1				
0				
1				
P10.24		30 150%	0%	*
P10.25		0 7	0	*
P10.26		0 65535	0	*
Bi t0				
Bi t1				
Bi t2				

A

ISO9001 2008

18

24

- 1.
- 2.
- 3.
- 4.
- 5.

- 1.
- 2.
- 3.
- 4.
- 5.

SHENZHEN MEGMEET DRIVE TECHNOLOGY CO., LTD.

5

(0755) 8660 0500
518057

<https://www.megmeet.com>
400-666-2163